FILE NOTATIONS

FIRE MOTATIONS	
Entered in NID File Cocation Map Finned Card Indexed	Checked by Chief Approval Letter 10-29 Disapproval Letter
COMPLETION DATA:	
Date Well Completed	Location Inspected
OW WW TA GW OS PA	Bond released State or Fee Land
Loc	S FILED
Driller's Log	
Electric Logs (No.) N.L.K.	
E I Dual I La	t GR-N Micro
THC Sonic GR Lat	Mi-L Senic
CBLog CCLog 0	thers

Form OGCC-1 a

SUBMIT IN TRIPLICATE* (Other instructions on reverse side)



STATE OF UTAH

OH	& GAS CONSERV	ATION COMMI	SSION	5. LEASE DESIGNATION AND SERIAL
-				M L 27749
APPLICATION	I FOR PERMIT T	O DRILL, DEEF	PEN, OR PLUG B	6. IF INDIAN, ALLOTTES OR TRIBE NA
a. TYPE OF WORK	LL X	DEEPEN	PLUG BAG	7. UNIT AGREEMENT NAME
DAIL OF WELL				
	S OTHER		SINGLE MULTIP	
NAME OF OPERATOR				E. C. Grindstaff 9. WELL NO.
E. C. Grindst	811			Grindstaff # 8
Ballinger, Te	mas 7 6821			10. FIELD AND POOL, OR WILDCAT
`At surface	eport location clearly and			Field Development
	l be drilled 40		•	AND SURVEY OR AREA
At proposed prod. zone	" 1030 FWL	E/ 1610 F	51 SENW	Sec 2 T 21 So. R. 2
. DISTANCE IN MILES A	AND DIRECTION FROM NEAR			12. COUNTY OR PARISH 18. STATE
3 miles N.W. 5. DISTANCE FROM PROPO	of Cisco Towns	ite ·	NO. OF ACRES IN LEASE	Grand Utah
LOCATION TO NEAREST PROPERTY OR LEASE LIN	r e, fr.	10.	320	TO THIS WELL 10
(Also to nearest drlg.	line, if any) OSED LOCATION*	19.	PROPOSED DEPTH	20. ROTARY OR CABLE TOOLS
TO NEAREST WELL, DI OR APPLIED FOR, ON THI	RILLING, COMPLETED, IS LEASE, FT.	}]	.800 Ft.	Rotary
. ELEVATIONS (Show whe	ether DF, RT GR etc.)			22. APPROX. DATE WORK WILL ST
<u> 4640</u> з.				as soon as approved
	P	ROPOSED CASING A	ND CEMENTING PROGRA	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	100	QUANTITY OF CEMENT
8 3/4	7 "	21 9.5	1800 7	22 Sacks 25 Sacks
	quipment to be		00 and air drille	
	B.O.P. 3000 P.S s job on surfac		sing unit) test	ed to 750 P.S.I. after
2. Jacobs	Rotating head	above B. O.P.		- 0 -
3. Full S	hut off gate val	ue on well and	exhaust line.	
a Bond		٠,	charee : OK to	
an arre		A	OR The	I Shound is Plat
re # 2		use	servey of	stay and devation on next west
N ABOVE SPACE DESCRIBI	E PROPOSED PROGRAM: If	proposal is to deepen o	r plug back, give data on I	Pat. Hound is flat rtage and derection on mesh wish- present productive sone and proposed new productive sone and proposed new productive by and measured and true vertical depths. Give bl
one. If proposal is to reventer program, if an	diff of deepen directions	any, give pertinent data	a on subsurface locations a	nd measured and true vertical depths. Give bl
24.	0			70/00/m
SIGNED ON	_ Yards_	TITLE	Agent - Drilling	Cont. DATE 10/20/73
(This space for Fede	eral or State office use)			
42	3-019-30/R		APPROVAL DATE	
PERMIT NO.				
APPROVED BY		TITLE		DATE
CONDITIONS OF APPRO	VAL, IF ANY:			

October 29, 1973

E.C. Grindstaff c/o Ross Jacobs 405 West Mayfield Grand Junction, Colorado

> Re: Well No. E.C. Grindstaff State #8 Sec. 2, T. 21 S, R. 23 E, Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with the Order issued in Cause No. 102-5. Said approval is, however, conditional upon the following:

- (a) The above well cannot be completed above a depth of 1500', which depth is on file with this office as the total depth of the 2-7X well, located in the same Section, Township, and Range.
- (b) Correlation logs must be run on the State #8 well for future reference.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer HOME: 277-2890 OFFICE: 328-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation relative to the above will be greatly appreciated.

E.C. Grindstaff October 29, 1973 Page Two

The API number assigned to this well is 43-019-30183.

Very truly yours,
DIVISION OF OIL 8 GAS CONSERVATION

CLEON B. FEIGHT DIRECTOR

CBF:sd

cc: Division of State Lands

PMD

		_					
OGCC-1 be	STA	TE OF UTAH		SUBMIT IN TRIPLICA (Other instructions on	TE*		
/)	C 4 0 C O V 0		/\/\\	verse side)	J. L.	SE DESIGNATION	
OIL &	GAS CONS	ERVATION CON	MMISSION		E.	C. Grind	staff
		CES AND REP		WELLS to a different reservoir.	6. 1F 1	INDIAN, ALLOTTE	B OR TRIBE NA
OIL GAB WELL	OTHER				7. UNI	T AGREEMBNT N	AMB
2. NAME OF OPERATOR E. C. Grinds					8. FAR	M OR LEASE NA	XB
8. ADDRESS OF OPERATOR					9. WBI	LL NO.	
Ballinger, To					E.	C. Grind	staff #
	deport location cl	early and in accordance	e with any Stat	e requirements.*	10. Pi	ELD AND POOL, (R WILDCAT
27 Ft. South		romontory # 7				C., T., R., M., OR SURVEY OR ARE	A
New Survey Pla	atts will	be Made and se	• • • • • • • • • • • • • • • • • • • •			B. 2 T 21	
14. FERRIT AU.		20, -22,4110110 (031011			G)	rand	Utah
16.	Check Ap	propriate Box To li	ndicate Natu	re of Notice, Report,			
1	HOTECH OF INTEN	PROM TO:		SU	Designant RSI	PORT OF:	
TEST WATER SHUT-G	er 🔲 - 1	ULL OR ALTER CASING		WATER SHUT-OFF		rspairing	WBLL
PRACTURE TREAT	•	CULTIPLE COMPLETE		FRACTURE TREATMENT		ALTERING (
SHOOT OR ACIDIZE	4	Bandon*		SHOOTING OR ACIDIZING		ABANDONME	MT*
							4 1
REPAIR WELL	۰ لــا	HANGE PLANS	└ ┤	(Other)	enits of mult	iple completion	on Well
(Other)	J		<u> </u>	(Note: Report re			
(Other) 17. DESCRIBE PROPOSED OF proposed work. If nent to this work.)	t COMPLETED OPE	RATIONS (Clearly state : nally drilled, give subs	uriace socutions	(Norz: Report re Completion or Re- tails, and give pertinent 6 and measured and true v	lates, includir ertical depth	ng estimated da s for all marker	te of starting rs and zones p
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If next to this work. If next to 1488 oil Sandstone we of a differenthe mud from the mud woul	alled with and gas sell appeared the hole do not sto	6½ bit to 140 nowes were ended to have cofrom ours ented for a period op. 15 sack	00 ft. and countered ommunication of the countered of the	(Nors: Report re	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed ahe alt wash ang Mid plowing
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work.) Well was drited to 1488 oil Sandstone we of a different the mud from the mud woul was pulled	alled with and gas sell appeared the hole do not sto	6½ bit to 140 nowes were ended to have cofrom ours ented for a period op. 15 sack	00 ft. and countered ommunication of the countered of the	(Norm: Report re Completion or Retails, and give pertinent of and measured and true value of the state of the	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed ahe alt wash ang Mid plowing
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work.) Well was drited to 1488 oil Sandstone we of a different the mud from the mud woul was pulled	alled with and gas sell appeared the hole do not sto	6½ bit to 140 nowes were ended to have cofrom ours ented for a period op. 15 sack	00 ft. and countered ommunication of the countered of the	(Norm: Report re Completion or Retails, and give pertinent of and measured and true value of the state of the	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed ahe alt wash ang Mid plowing
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work.) Well was drited to 1488 oil Sandstone we of a different the mud from the mud woul was pulled	alled with and gas sell appeared the hole do not sto	6½ bit to 140 nowes were ended to have cofrom ours ented for a period op. 15 sack	00 ft. and countered ommunication of the hrs plug was	(Norm: Report re Completion or Retails, and give pertinent of and measured and true value of the state of the	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed ahe alt wash ang Mid plowing
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work.) Well was drited to 1488 oil Sandstone we of a different the mud from the mud woul was pulled	alled with and gas sell appeared the hole do not sto	6½ bit to 140 nowes were ended to have cofrom ours ented for a period op. 15 sack	00 ft. and countered ommunication of the hrs plug was	(Norm: Report re Completion or Retails, and give pertinent of and measured and true value of the state of the	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed ahe alt wash ang Mid plowing
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work.) Well was drited to 1488 oil Sandstone we of a different the mud from the mud woul was pulled	alled with and gas sell appeared the hole do not sto	6½ bit to 140 nowes were ended to have cofrom ours ented for a period op. 15 sack	00 ft. and countered ommunication of the hrs plug was	(Norm: Report re Completion or Retails, and give pertinent of and measured and true value of the state of the	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed ahe alt wash ang Mid plowing
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work.) Well was drited to 1488 oil Sandstone we of a different the mud from the mud woul was pulled	alled with and gas sell appeared the hole do not sto	6½ bit to 140 nowes were ended to have cofrom ours ented for a period op. 15 sack	00 ft. and countered ommunication of the hrs plug was	(Norm: Report re Completion or Retails, and give pertinent of and measured and true value of the state of the	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed ahe alt wash ang Mid plowing
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work.) Well was drited to 1488 oil Sandstone we of a different the mud from the mud woul was pulled	alled with and gas sell appeared the hole do not sto	6½ bit to 140 nowes were ended to have cofrom ours ented for a period op. 15 sack	00 ft. and countered ommunication of the hrs plug was	(Norm: Report re Completion or Retails, and give pertinent of and measured and true value of the state of the	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed ahe alt wash ing Mid plowing
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work.) Well was drited to 1488 oil Sandstone we of a different the mud from the mud woul was pulled	alled with and gas sell appeared the hole do not sto	6½ bit to 140 nowes were ended to have cofrom ours ented for a period op. 15 sack	00 ft. and countered ommunication of the hrs plug was	(Norm: Report re Completion or Retails, and give pertinent of and measured and true value of the state of the	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed and ill wash and Mid plowing ell as
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work.) Well was drited to 1488 oil Sandstone we of a different the mud from the mud woul was pulled	alled with and gas sell appeared the hole do not sto	6½ bit to 140 nowes were ended to have cofrom ours ented for a period op. 15 sack	00 ft. and countered ommunication of the hrs plug was	(Norm: Report re Completion or Retails, and give pertinent of and measured and true value of the state of the	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed ahe alt wash ang Mid plowing
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work. If nent to 1488 oil Sandstone we of a differenthe mid from the mid woul was pulled of surface p	illed with and gas sight appearent color; the hole do sack pipe.	fations (Clearly state and ally drilled, give substant) 6\frac{1}{4} \text{ bit to 140} nowes were enced to have confrom ours enter a period op. 15 sack olug was pumper.	00 ft. and countered ommunication of the hrs plug was	(Norm: Report re Completion or Retails, and give pertinent of and measured and true value of the state of the	casing, and 1470 ory # 7 ing the d to plu	air dri -1485 Sa as Drilli gas and b g this we	illed ahe alt wash ang Mid plowing
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If nent to this work.) Well was drited to 1488 oil Sandstone we of a different the mud from the mud woul was pulled	illed with and gas sight appearent color; the hole do sack pipe.	61 bit to 140 nowes were ended to have confrom ours enter for a period op. 15 sack olug was pumpe	00 ft. and countered ommunication of the hrs plug was	(Norm: Report re Completion or Retails, and give pertinent of and measured and true vil ran 1400 of 4½ at 1434 - 1452 on with Promont well.after test; it was decide pumped to T. D., 3rd plug wa	casing, and 1470 ory # 7 ing the d to plu and the s pumped	air dri -1485 Sa as Drilli gas and b g this we	te of starting and zones pulled ahealt washing Mid plowing all as a casing at base
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If next to this work. If next to 1488 oil Sandstone we of a differenthe mud from the mud woul was pulled of surface p	illed with and gas sell appearent color is the hole do sack poipe.	fations (Clearly state and defined, give substant) 6\frac{1}{4} bit to 140 howes were ended to have conform ours entered to a period op. 15 sack olug was pumper that the same conformation of the	O ft. and countered ommunication of 10 hrs plug was ed at 1115	(Norm: Report re Completion or Retails, and give pertinent of and measured and true vil ran 1400 of 42 at 1434 - 1452 on with Promont well.after test it was decide pumped to T. D., 3rd plug wa	casing, and 1470 ory # 7 ing the d to plu and the s pumped	air dri air dri -1485 Sa as Drilli gas and b g this we en the 4 2 1 at 109 a	te of starting and zones in the left washing Mid plowing all as a casing at base
(Other) 17. DESCRIBE PROPOSED OF Proposed work. If next to this work. If next to 1488 oil Sandstone we of a differenthe mud from the mud woul was pulled of surface point of surface points. It is the surface points of surface points.	illed with and gas sell appearent color is the hole do sack poipe.	AATIONS (Clearly state and ally drilled, give substantially drilled, give substantiall	O ft. and countered ommunication of 10 hrs plug was ed at 1115	(Norm: Report re Completion or Retails, and give pertinent of and measured and true vil ran 1400 of 42 at 1434 - 1452 on with Promont well.after test it was decide pumped to T. D., 3rd plug wa	casing, and 1470 ory # 7 ing the d to plu and the s pumped	air dri air dri -1485 Sa as Drilli gas and b g this we en the 4 2 1 at 109 a	te of starting and zones in the left washing Mid plowing all as a casing at base

July 25, 1974

E.C. Grindstaff c/o Ross Jacobs 405 West Mayfield Grand Junction, Colorado

Re: Well No. Grindstaff State #8
Sec. 2, T. 21 S, R. 23 E,
Grand County, Utah

Gentlemen:

This letter is to advise you that the "Well Completion or Recompletion Report and Log" for the above referred to well is due and has not as yet been filed with this office.

Please somplete the enclosed Form OGC-3, and forward them to this office together with any electric and/or radioactivity logs run, at your earliest convenience.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

SCHEREE WILCOX
EXECUTIVE SECRETARY

/sw

Form 9-330 (Rev. 5-63)		LIK	ÆD S	TAT	Ec Ì	SUBM	IT IN I	UPLI	*	F	orm appr	oved.	
	DEPART	OI U	TOE	TUE	LO			(Section struction				eau No. 42-R	
		GEOLO						reverse		5. LEASE DES	_ <u></u>	ME GENERAL	
						- E :				6. IF INDIAN			
WELL CO	MPLETION	OR RE	ECOM	PLETIC	ON R	EPORT	AND	LOG	*				
1a. TYPE OF WEL	L: OIL WEL		GAS WELL	DRY	X (Other				7. UNIT ACRE	DMENT N	TWD	
b. TYPE OF COM						NA CONTRACT		: *					
NEW WELL	OVER DEE	P-	PLUG BACK	DIFF. Desvr	ı. 🗌 (Other		:		8. PARM OR I	EASE NA	ME	
2. NAME OF OPERAT	or		0	2		4			Ì.				·
E.C. Grind	staff									9. WELL NO.		jā j	
3. ADDRESS OF OPER	RATOR								-	E.C. GY			8_
Ballinger. 4. LOCATION OF WEI	Texas	n clearly o	and in acc	ordance v	oith any	State requ	irements)						
At surface S E/4 NW/		-					*	:	-	11. SEC., T., R	., м., ок	BLOCK AND SU	IRVEY
	erval reported bel	low								UR ARDA			
												₹ _	i.
At total depth			ŗ	14. PERM	WIT NO		DATE IS	SHED		Sec. 2 1	21 S	13. STATE	<u> </u>
ACAMANIN'S COMMUNICA	Minist 1997	* EWL	and	13. Faba	AII NO.	4 4		5022		PARISH			v
15. DATE SPUDDED	16. DATE T.D. R	1650°	NSI.	OMPL. (R	Ready to	prod.) 1	8. RLEVA	rions (DF	. REB. RT	Grand r, gr, etc.)*	19. ELE	V. CASINGHE.	AD
- Å- /				'				650			None	Used	
20. TOTAL DEPTH, MD	& TVD Z1. PLU	G, BACK T.D	., MD & TVI	D 22.	IF MULT	IPLE COMPI		23. INTER		ROTARY TOOL		CABLE TOOL	.8
1485*				ļ			1		> _	A11	. 1		·
24. PRODUCING INTER	RVAL(8), OF THIS	COMPLETIC	ON-TOP, B	OTTOM, N	AME (M	D AND TVD)	*	į.				WAS DIRECTION OF MADE	
r H i	, i						: , 5			-			 :3
None	AND OTHER LOGS 1	DUN						<u> </u>			27. WAS	WELL CORED	-
	AND OTHER LOGS	BUN			*** *		. 1 P. 3. 3 P. 3	į.			£	No	4.1
None	·											21.0	-,-
			CASINO	RECOR	D (Repo	ort all strin	gs set in	well)					
CASING SIZE	WEIGHT, LB./	FT. DE	CASING			ort all strin	ya set in		INTING R	ECORD		AMOUNT PUL	LED
CASING SIZE	WEIGHT, LB./	FT. DE	EPTH SET		ног					ECORD		AMOUNT PULI	LED
	23# 9.5#	FT. DE		(MD)	ног	E SIZE	To N	CEMI		ECORD			LED
CASING SIZE	23# 9.5#	FT. DE	90 °	(MD)	ног 8 3, 6 1 "	/4"	То	Surfe				None	LED
7" O.D.	23# 9•5#		90 ° 1400 °	(MD)	ног	/4"	To	Surfe one	ice			None	LED
7" O.D. 1112" O.D. 29.	23#	LINER RI	90 ° 1400 °	(MD)	ног 8 3, 6 1 **	LE SIZE	To	Surfe Surfe	T	UBÎNG RECO	ORD	None	
7" O.D.	23# 9•5#		90 ° 1400 °	(MD)	ног 8 3, 6 1 **	/4"	To	Surfe one	T		ORD	Kone 1400	
7" O.D. 1112" O.D. 29.	23#	LINER RI	90 ° 1400 °	(MD)	ног 8 3, 6 1 **	LE SIZE	To	Surfe Surfe	T	UBÎNG RECO	ORD	Kone 1400	
7" O.D. 1112" O.D. 29.	23# 9.5#	LINER RI	90° 1400° ECORD (MD) S.	(MD)	ног 8 3, 6 1 **	LE SIZE	TO N	Surfe	T	UBÎNG RECO	RD D) P	None 1400 *	
CASING SIZE 7" O. D. 112" O. D. 29. SIZE 31. PERFORATION REC	23# 9.5#	LINER RI	90° 1400° ECORD (MD) S.	(MD)	ног 8 3, 6 1 **	E SIZE /4** SCREEN (To N MD)	Surfs one 30. size	T	UBÏNG RECO	PRD P	Kone 1400°	(MD)
7" O.D. 142" O.D. 29.	23# 9.5#	LINER RI	90° 1400° ECORD (MD) S.	(MD)	ног 8 3, 6 1 **	SCREEN (To N MD)	Surfs one 30. size	T	UBING RECO	PRD P	None 1400 * ACKER BET (ZE, ETC. TERIAL USED.	(bs D)
7" O.D. 112" O.D. 29. SIZE 31. PERFORATION REC	23# 9.5#	LINER RI	90° 1400° ECORD (MD) S.	(MD)	ног 8 3, 6 1 **	SCREEN (To N MD)	Surfa One 30. SIZE 0, SHOT,	T	UBING RECO	PRD P	None 1400 ACKER SET (ZE, ETC.	(bs D)
CASING SIZE 7" O. D. 112" O. D. 29. SIZE 31. PERFORATION REC	23# 9.5#	LINER RI	90° 1400° ECORD (MD) S.	(MD)	ног 8 3, 6 1 **	SCREEN (To N MD)	Surfs one 30. size	T	UBING RECO	PRD P	None 1400 * ACKER BET (ZE, ETC. TERIAL USED.	(\$C)
2" O. D. 142" O. D. 29. SIZE 31. PERFORATION REG	23# 9.5#	LINER RI	90° 1400° ECORD (MD) S.	(MD)	HOI 8 3, 61 **	SCREEN (To N MD)	Surfa One 30. SIZE 0, SHOT,	T	UBING RECO	PRD P	None 1400 * ACKER SET (ZE, ETC.	(\$5 D)
CASING SIZE 7" O. D. 112" O. D. 29. SIZE 31. PERFORATION REC	TOP (MD) CORD (Interval, si	LINER RIBOTTOM	90° 1400° ECORD (MD) S. mber)	(MD)	HOLE 8 3 6 4 WENT*	SCREEN (MD) ACII	Surfa	T D D FRACTU	UBING RECO	P D D D D D D D D D D D D D D D D D D D	None 1400 * ACKER SET (ZE, ETC.	(\$5 D)
2" O. D. 112" O. D. 29. SIZE 31. PERFORATION REG None 33.*	TOP (MD) CORD (Interval, si	LINER RIBOTTOM	90° 1400° ECORD (MD) S. mber)	(MD)	HOLE 8 3 6 4 WENT*	SCREEN (32. DEPTH 11	MD) ACII	Surfa	T D D FRACTU	UBING RECO	P D D D D D D D D D D D D D D D D D D D	None 1400 * ACKER SET (ZE, ETC. TERIAL USED	(\$5 D)
2" O. D. 142" O. D. 29. SIZE None	TOP (MD) CORD (Interval, si	LINER RIBOTTOM	90° 1400° ECORD (MD) S. mber)	(MD)	PRGE s lift, pu	SCREEN (32. DEPTH 11	MD) ACII NTERVAL	Surfa	T D D T T T T T T T T T T T T T T T T T	UBING RECO	P SQUEE D OF MA	None 1400 * ACKER SET (ZE, ETC. TERIAL USED	(\$5 D)
20. D. 29. SIZE 31. PERFORATION REGION NONE 33.* DATE FIRST PRODUCT	TOP (MD) CORD (Interval, side) CORD (Interval of the product of	LINER RIBOTTOM Ze and num UCTION ME	ECORD (MD) S. mber) THOD (Flo	ACKS CEM	PROD s lift, pu	SCREEN (SCREEN (SCREEN (SCREEN (DEPTH 1) DUCTION Imping—eis OIL—BBL.	MD) ACHI NTERVAL	Surfa Surfa One 30. SIZE O, SHOT. (MD) e of pum GAS—MC	T D D FRACTU AMO	UBING RECO EPTH SET (M) URE, CEMENT UNT AND KIN WELL shut WATER—BBL	RD D) P SQUEE D OF MA	ACKER SET (ZE, ETC. TERIAL USED Producing or S-OIL RATIO	(MD)
2* O. D. 11-1* O. D. 29. SIZE 31. PERFORATION REGION NONE 33.* DATE FIRST PRODUCT	TOP (MD) CORD (Interval, si	LINER RI BOTTOM Ze and num CHOK	ECORD (MD) S. mber)	ACKS CEM	PROD s lift, pu	SCREEN (SCREEN (SCREEN (SCREEN (DEPTH 1) DUCTION Imping—eis OIL—BBL.	MD) ACII NTERVAL	Surfa Surfa One 30. SIZE O, SHOT. (MD) e of pum GAS—MC	T D D T T T T T T T T T T T T T T T T T	UBING RECO EPTH SET (M) URE, CEMENT UNT AND KIN WELL shut WATER—BBL	RD D) P SQUEE D OF MA	ACKER SET (ZE, ETC. FERIAL USED.	(MD)
2" O. D. 142" O. D. 29. SIZE 31. PERFORATION REG NONE DATE OF TEST FLOW. TUBING PRESS.	TOP (MD) CORD (Interval, si HOURS TESTED CASING PRESSUI	LINER RI BOTTOM Ze and nus CHOK CHOK CHOK CHOK	ECORD (MD) S. mber) THOO (Flo	ACKS CEM	PROD s lift, pu	SCREEN (SCREEN (SCREEN (SCREEN (DEPTH 1) DUCTION Imping—eis OIL—BBL.	MD) ACHI NTERVAL	Surfa Surfa One 30. SIZE O, SHOT. (MD) e of pum GAS—MC	T D D FRACTU AMO	UBING RECO EPTH SET (M) JRE, CEMENT OUNT AND KIR WATER—BBL. BBL.	RD D) P SQUEE D OF MA STATUS (-in) GA	ACKER SET (ZE, ETC. TERIAL USED Producing or S-OIL RATIO	(MD)
20. D. 29. SIZE 31. PERFORATION REGION NONE 33.* DATE FIRST PRODUCT	TOP (MD) CORD (Interval, si HOURS TESTED CASING PRESSUI	LINER RI BOTTOM Ze and nus CHOK CHOK CHOK CHOK	ECORD (MD) S. mber) THOO (Flo	ACKS CEM	PROD s lift, pu	SCREEN (SCREEN (SCREEN (SCREEN (DEPTH 1) DUCTION Imping—eis OIL—BBL.	MD) ACHI NTERVAL	Surfa Surfa One 30. SIZE O, SHOT. (MD) e of pum GAS—MC	T D D FRACTU AMO	UBING RECO EPTH SET (M) URE, CEMENT UNT AND KIN WELL shut WATER—BBL	RD D) P SQUEE D OF MA STATUS (-in) GA	ACKER SET (ZE, ETC. TERIAL USED Producing or S-OIL RATIO	(MD)
2" O. D. 142" O. D. 29. SIZE 31. PERFORATION REG NONE DATE OF TEST FLOW. TUBING PRESS.	TOP (MD) CORD (Interval, si CORD (Interval, si CORD (Interval, si CORD (Interval, si	LINER RI BOTTOM Ze and nus CHOK CHOK CHOK CHOK	ECORD (MD) S. mber) THOO (Flo	ACKS CEM	PROD s lift, pu	SCREEN (SCREEN (SCREEN (SCREEN (DEPTH 1) DUCTION Imping—eis OIL—BBL.	MD) ACHI NTERVAL	Surfs One 30. SIZE O, SIZE O, SHOT, (MD) GAS—MCI	T D D FRACTU AMO	UBING RECO EPTH SET (M) JRE, CEMENT OUNT AND KIR WATER—BBL. BBL.	RD D) P SQUEE D OF MA STATUS (-in) GA	ACKER SET (ZE, ETC. TERIAL USED Producing or S-OIL RATIO	(MD)
2** O. D. 112** O. D. 29. SIZE 31. PERFORATION REGION OF C. NONE DATE OF TEST FLOW. TUBING PRESS. 34. DISPOSITION OF C.	TOP (MD) CORD (Interval, si CORD (Interval, si CORD (Interval, si CORD (Interval, si	LINER RI BOTTOM Ze and nus CHOK CHOK CHOK CHOK	ECORD (MD) S. mber) THOO (Flo	ACKS CEM	PROD s lift, pu	SCREEN (SCREEN (SCREEN (SCREEN (DEPTH 1) DUCTION Imping—eis OIL—BBL.	MD) ACII NTERVAL e and typ	Surfs One 30. SIZE O, SIZE O, SHOT, (MD) GAS—MCI	T D D FRACTU AMO	UBING RECO EPTH SET (M) JRE, CEMENT OUNT AND KIR WATER—BBL. BBL.	RD D) P SQUEE D OF MA STATUS (-in) GA	ACKER SET (ZE, ETC. TERIAL USED Producing or S-OIL RATIO	(MD)
2** O. D. 112** O. D. 29. SIZE 31. PERFORATION REGION OF C. NONE DATE OF TEST FLOW. TUBING PRESS. 34. DISPOSITION OF C.	TOP (MD) CORD (Interval, si HOURS TESTED CASING PRESSUI AS (Sold, used for	LINER RI BOTTOM Ze and num CHOK CHOK	ECORD (MD) S. mber) THOD (Flo E SIZE ULATED OUR BATE ied, etc.)	ACKS CEM ACKS CEM PROD'N. TEST PI	PROD s lift, pu	SCREEN (SCREEN (SCREEN (S2. DEPTH II DUCTION mping—sis OIL—BBL.	MD) ACII NTERVAL e and typ	Surfs One 30. SIZE O, SHOT. (MD) GAS—MCI	T D D T T T T T T T T T T T T T T T T T	UBING RECO EPTH SET (M) URE, CEMENT UNT AND KIN WELL Shull WATER—BBL. TEST WITNES	RD D) P SQUEE D OF MA OIL GRAN	ACKER SET (ZE, ETC. TERIAL USED Producing or S-OIL RATIO	(MD)
20. D.	TOP (MD) CORD (Interval, si HOURS TESTED CASING PRESSUI CASING PRESSUI CASING PRESSUI TOP (MD) HOURS TESTED CASING PRESSUI TOP (MD)	LINER RI BOTTOM Ze and num CHOK CHOK CHOK Tuel, vent	ECORD (MD) S. mber) THOD (Flo E SIZE ULATED OUR BATE ied, etc.)	ACKS CEM ACKS CEM PROD'N. TEST PI OIL—BE	PROD s lift, pu	SCREEN (SCREEN (SCREEN (S2. DEPTH II DUCTION (mping size OIL—BBL.	MD) ACII NTERVAL e and typ	Surfs One 30. SIZE O, SHOT. (MD) GAS—MCI	T D D FRACTU AMO	UBING RECO EPTH SET (M) URE, CEMENT UNT AND KIN WELL shut WATER—BBL. TEST WITNES	RDDD) P	ACKER SET (ZE, ETC. TERIAL USED Producing or S-OIL RATIO	(MD)
29. SIZE 31. PERFORATION RECONOMINATE OF TEST FLOW. TUBING PRESS. 34. DISPOSITION OF G. 35. LIST OF ATTACH 36. I hereby certify	TOP (MD) CORD (Interval, si HOURS TESTED CASING PRESSUI CASING PRESSUI CASING PRESSUI THAT the foregoin That the foregoin	LINER RI BOTTOM Ze and num CHOK CHOK 24-HC fuel, vent	ECORD (MD) S. mber) THOD (Flo E SIZE ULATED OUR RATE ed, etc.)	ACKS CEM ACKS CEM PROD'N. TEST PI OIL—BE	PRGD by lift, put is complete.	SCREEN (SCREEN (SCREEN (S2. DEPTH II DUCTION mping—sis OIL—BBL.	ACII NTERVAL e and typ MCF.	Surfs One 30. SIZE O, SIZE O, SHOT, (MD) GAS—MCI	FRACTU AMO	UBING RECO EPTH SET (M) JRE, CEMENT OUNT AND KIN WELL Shut Shut BBL. TEST WITNES	RDDD) P	ACKER SET (ZE, ETC. TERIAL USED Producing or S-OIL RATIO	(MD)

NSTRUCTIONS

йсти: а.дочэма. Видзе! Истор : Ма. 42 **N3**75.8. General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal anglor State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area; or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local redeeral and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.); formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local state

or Federal office for specific instructions.

Them 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Them 22: and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in Item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s); and name(s) (if any) for only the interval zone (multiple completion), so state in Item 22, and in item 24 show the producing interval to be separately produced, showing the additional data pertinent to such interval.


Them 29: "Sacks Coment": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Here 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

(Section of the section of the secti		ЯС	DEPARTMENT OF THE INTERI GEOLOGICAL SURVEY	233
eo.:	OИ,			871-233
	• ngr. 121. • pen 112 s 1-4	TOP	74. 5 Las 1791 - Las 1313.5 Las 133.6	ि। Met s जन्म
	GEOLOGIC MARKERS	T Dunasa Bran	75 24 1 10 2 4 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
	GEOLOGI	NAMB	The state of the s	7.5 177 (6:1 763 1 .
93. 93) 82.		NA.	Eigeb H	
• <u>ሶ</u> ጂ አ	LUDING		A THE STATE OF THE WAY OF THE STATE OF THE S	
Control materials	TS, INC	e 1	The state of the second of the	- 12 27 (1997)
	LL-STEM TES	I, ETC.	The residence was appeared to the control of the co	T Y «
e tin Torlai	ALL DR	CONTENTS,	Section in the section of the sectio	NG OFFICE
	D INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING SHUT-IN PRESSURES, AND RECOVERIES	DESCRIPTION, C.	S and a second same	U.S. GOVERNIMENT PROPTING OFFICE : 1883
42 d			THE LAND TO SERVICE WELL STORE	s'n
	TS TEERED	S. and S.	ਹਿਲ ਹੈ ਜੋ ਦੀ ਦੀ ਦ ਜ਼ਿਲ੍ਹੀ ਕ ਮੁੱਧ ਕ	. 0
	CONTENTO	x		
garrin i	IMARY, OF POROUS ZONES: SHOW ALL MEORLAT ZONES OF POROSITY AND CONTENTS THEREOF; CORE DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND	BOTTOM O S C		r r
	S: OF POR SHION I		egul era i degul vizer era i era	
	SUMMARK OF POROUS ZONES SHOW ALL IMPORTANT ZONES DEPTH INTERVAL TESTED, CUSI	TOI C	SSA A A A	असे <i>पर</i> (2) विकास
	PORO IMPORT ERVAL T		n ta a de	- - - - - - - - - - - - -
a organis	ARY OF OW ALL PTH INT	PORMATION	Dakota Salt Dakota Sand Cedar Mometain Morrison Brushy Basan Member Teb.	de riggi i
00 1	SH	PORM	TO SE	

din

1450





355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 24, 1985

Mr. R.L. Jacobs R.L. Jacobs Oil and Gas Company 2467 Commerce Blvd. Grand Junction, Colorado 81505

Dear Mr. Jacobs:

RE: Division of State Land and Forestry Lease ML-27749, Sec.2, T.21S, R.23E, and ML-22604, T.20S, R.21E, Sec.36, Grand County, Utah.

You are on file as the Agent and Operator of the following wells on the above leases. These wells have major to minor incidences of noncompliance issued in my previous letters of May 10, 1984 and February 9, 1985, none of which have been resolved as of April 16, 1985. I am including these and additional incidences of noncompliance in this letter as attached.

Please respond within 15 days with your intent and a time table for compliance convenient for you so that a resolution might be reached If a meeting is desired, it can easily be arranged. Your prompt attention to these matters will be greatly appreciated.

Sincerely,

William Moore

Oil and Gas Field Specialist

Min E- Moore

sb Attachments cc: R.J. Firth J.R. Baza Well Files 9686T-74

Grindstaff 2-10-C, Sec.2, T.21S, R.23E, Grand County.

1)	Lacks legal identification	minor
2)	Reserve pit and location not rehabilitated	modereate
3)	Trash and debris on site	moderate

minor

4) Sundry Reports on status and intent

Grindstaff 9, Sec.2, T.21S, R.23E, Grand County.

1)	Lacks legal identification	minor
2)	Reserve pit and location not rehabilitated	moderate
3)	Trash and debris on site	moderate
4)	Sundry Reports on status and intent	minor

Grindstaff 8, Sec.2, T.21S, R.23E, Grand County.

Lacks regulation marker minor 1) Lacks subsequent plugging and abandonment report minor 2)

Grindstaff 2-7x (2-7c), Sec.2, T.21S, R.23E, Grand County.

1)	Lacks legal identification	minor
2)	Reserve pit and location not rehabilitated	moderate
3)	Trash and debris on site	moderate
4)	Sundry Reports on status and intent	minor

Promontory State 7, Sec. 2, T.21S, R.23E, Grand County.

1)	Lacks regulation marker	minor
2)	Lacks surface plug of 5 sacks	minor
3)	Open rat hole next to well (must be filled)	major
4)	Lacks subsequent Report of Plugging and	minor
	Abandonment	

Jacobs State 2-11, Sec.2, T.21S, R.23E, Grand County.

1)	Lacks regulation marker as per Sundry	minor
	Notice 9-18-81	
2)	Lacks Surface plug	minor
3)	Sump around well needs filling	minor

State 2-14, Sec.2, T.21S, R.23E, Grand County.

1)	Lacks legal identifcation	minor
2)	Unfenced sump around well is a safety hazard	major
	(must be securely fenced)	

State 36-1, Sec.36, T.20S, R.21E, Grand County.

1)	Lacks regulation marker	minor
2)	Lacks surface plug	minor
3)	Lacks surface rehabilitation of pits	moderate
4)	open rat hole is a safety hazard	major



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

May 13, 1985

Mr. John N. Baird P.O. Box 10457 Honolulu, Hawaii 96816

Dear Mr. Baird:

RE: Wells in Section 2. T.21S, R.23E, Grand County, Utah.

The Division requests information and action to be taken on several items of concern previously brought to your attention. As indicated by your discussion with Mr. William E. Moore of this Division, you are listed with the Utah Division of State Lands and Forestry as the operator of record for state lease number ML-27749. As you requested, an itemized list is enclosed which includes well numbers and specific action to be taken with each well included in the aforementioned lease.

Please provide a written reponse with fifteen (15) days of receipt of this letter indicating your intent and a time table for resolving each of the problems listed. If you desire to have a meeting to discuss any of these concerns, one can easily be arranged. Thank you for your consideration in this matter.

Sincerely,

John R. Baza

Petroleum Engineer

John K. Da

WEM/sb cc: R.J. Firth Well Files 0090T-87-88

Grindstaff 2-10-C, Sec. 2, T.21S, R.23E, Grand County, Utah.

- 1. Install legal identification. (minor) "Each sign shall be posted in a conspicuous place near the well,... and shall show the number of the well, name of the owner or operator, the lease name, and the location by quarter, section, township and range."
- 2. Remove trash and debris, including but not limited to, old pipe, wooden spools, boards and oil soaked soils. (moderate)
- 3. Level and scarify the pits and mounds covering any drilling fluids so that new growth can start by reseeding and/or natural means. (moderate)
- 4. File sundry reports at least annually on well status and progress of development. (minor)

Grindstaff 9, Sec.2, T.21S, R.23E, Grand County, Utah.

Same as 1,2,3, and 4 above.

Grindstaff 2-7X (2-7c), Sec.2, T.21S, R.23E, Grand County, Utah.

Same as 1,2,3, and 4 above.

State 2-14, Sec.2, T.21S, R.23E, Grand County, Utah.

- Install legal identification. (minor)
- Securely fence sump around well head as it presents a safety hazard. (major)

Jacobs State 2-11, Sec.2, T.21S, R.23E, Grand County, Utah.

- 1. Install regulation marker in surface plug of well. (minor)
- 2. Fill the sump around the plugged well and marker. (minor)

Promontory State 7, Sec.2, T.21S, R.23E, Grand County, Utah.

- 1. Submit report of plugging and abandonment. (minor) Fill the sump around the plugged well and marker. (minor)
- Fill rat hole next to well as it presents a safety hazard. (major)

Grindstaff 8, Sec.2, T.21S, R.23E, Grand County, Utah.

1. Fill the sump around the plugged well and marker. (minor)

RECEIVER

AUG 04 1986

9E(.:

DIVISIUN OF OIL GAS & MINING

July 16, 1986

JUL 301986

Utah Natural Resources
Oil, Gas and Mining
3 Triad Center - Suite 350
Salt Lake City, Utah 84180

Attention Mr. Bob Moore

Re: Lease # ML-27749
So 1/2 Sec 2-Ts 21 So-R23 E
Grand County, Utah

Dear Mr. Moore;

Please be advised that I have reached an agreement with Mr. Tom Kucel, Pres. of Master Petroleum & Development Co. Inc. of Grand Junction, Colo. to take over the above mentioned Mineral Lease, and become the owner/Operator; Effective June 2nd 1986. He has requested his attorney to prepare the necessary documents to accomplish this Transfer. All future mailings, Notices, and correspondence regarding this Lease should be sent to Master Petroleum at the below address.

My thanks to you and your staff for your help and Patience while getting this matter resolved.

Sincerly

John N. Baird

P.O. Box 10457

Honolulu, Hi. 96816

Tom Kucel, Pres.
Master Petroleum & Development Co.Inc
814 South 7th Street
Grand Junction Colo. 81501